

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

UFI: N7A0-M04Q-700Q-JA9G

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Matrix-free calibration standards.

For research use only. Not for use in diagnostic procedures.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

biocrates life sciences ag

Eduard-Bodem-Gasse 8

A-6020 Innsbruck

T: +43 512 57 98 23

F: +43 512 57 98 23 329

Further information obtainable from: Email: office@biocrates.com

1.4 Emergency telephone number:

+43 512 57 98 23

Available during office hours:

Mo-Fr: 9 a.m. - 5 p.m.

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

(Contd. on page 2)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 1)

Hazard-determining components of labelling:

sodium pyruvate

Linolenic acid

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

40.5 % of the mixture consists of component(s) of unknown toxicity.

Contains 40.5 % of components with unknown hazards to the aquatic environment.

2.3 Other hazards

The product contains not fully tested substances and must be used with the required caution.

Results of PBT and vPvB assessment

PBT: No data available.

vPvB: No data available.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine-disrupting properties ≥ 0.1 % (w/w).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:








[% (w/w)]

CAS: 112-80-1 EINECS: 204-007-1 RTECS: RG 2275000	oleic acid, pure	2.5 - < 10%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 60-33-3 EINECS: 200-470-9 RTECS: RF 9990000	linoleic acid, pure	2.5 - < 10%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 77-92-9 EINECS: 201-069-1 Index number: 607-750-00-3 RTECS: GE 7350000 Reg.nr.: 01-2119457026-42-XXXX	Citric acid	2.5 - < 10%
	⚠ Eye Irrit. 2, H319; STOT SE 3, H335	

(Contd. on page 3)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 2)

CAS: 98-79-3 EINECS: 202-700-3	L-pyroglutamic acid  Eye Dam. 1, H318	1 - < 2.5%
CAS: 113-24-6 EINECS: 204-024-4	sodium pyruvate  Eye Irrit. 2, H319; Skin Sens. 1, H317	1 - < 2.5%
CAS: 463-40-1 EINECS: 207-334-8	Linolenic acid  Skin Sens. 1, H317	< 1%
CAS: 65-85-0 EINECS: 200-618-2 Index number: 607-705-00-8 RTECS: DG 0875000	Benzoic acid  STOT RE 1, H372  Eye Dam. 1, H318  Skin Irrit. 2, H315	< 0.5%
CAS: 110-15-6 EINECS: 203-740-4 RTECS: WM 4900000	succinic acid  Eye Irrit. 2, H319	< 0.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

Immediately remove any clothing soiled by the product.

After inhalation:

Remove person to fresh air and keep comfortable for breathing.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

After swallowing:

Do NOT induce vomiting.

Rinse mouth.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

(Contd. on page 4)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 3)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Dust can form explosive mixtures with air.

Explosive mixtures with air are possible when heated.

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Do not inhale explosion gases or combustion gases.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not breathe dust.

Keep away from ignition sources.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Prevent formation of dust.

(Contd. on page 5)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 4)

Take off immediately all contaminated clothing and wash it before reuse.

Do not breathe dust.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

Information about fire - and explosion protection:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

Store in a dry, cool, well-ventilated area.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility: Store away from incompatible materials.**Further information about storage conditions:**

Keep container tightly sealed.

Protect from heat and direct sunlight.

Recommended storage temperature: room temperature**Storage class:** 11**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 112-80-1 oleic acid, pure**

MAK (Germany) | vgl. Abschn. IIb und Xc

CAS: 77-92-9 Citric acidAGW (Germany) | Long-term value: 2 E mg/m³
2(I); DFG, Y**CAS: 65-85-0 Benzoic acid**AGW (Germany) | Long-term value: 0.5 mg/m³, 0.1 ppm
4(II); DFG, Y, H, 11**CAS: 110-15-6 succinic acid**AGW (Germany) | Long-term value: 2 E mg/m³
2(I); DFG, Y**Regulatory information**

MAK (Germany): MAK- und BAT-Liste

AGW (Germany): TRGS 900

DNELs**CAS: 65-85-0 Benzoic acid**

Oral	Long-term exposure - systemic effects	16.6 mg/kg bw/d (consumer)
Dermal	Long-term exposure - systemic effects	31.25 mg/kg bw/d (consumer)

(Contd. on page 6)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 5)

Inhalative	Long-term exposure - systemic effects	62.5 mg/kg bw/d (workers) 1.5 mg/m ³ (consumer) 3 mg/m ³ (workers)
	Long-term exposure - local effects	0.06 mg/m ³ (consumer) 0.1 mg/m ³ (workers)

PNECs**CAS: 65-85-0 Benzoic acid**

fresh water	0.34 mg/l
sea water	0.034 mg/l
intermittent release (fresh water)	0.331 mg/l (.)
STP	100 mg/l
sediment (fresh water)	1.75 mg/kg dw
sediment (sea water)	0.175 mg/kg dw
soil	0.151 mg/kg dw

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Do not breathe dust.

Take off immediately all contaminated clothing and wash it before reuse.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

EN 374

(Contd. on page 7)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection:

Protective work clothing

Select type and quality of protection clothes depending on concentration and quantity at the workplace.

Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Solid
Colour:	Light yellow
Odour:	Characteristic
Odour threshold:	No information available.
Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range	
Flammability	combustible
Lower and upper explosion limit	
Lower:	No information available.
Upper:	No information available.
Flash point:	Not applicable.
Decomposition temperature:	No information available.
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	No information available.

(Contd. on page 8)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 7)

Partition coefficient n-octanol/water (log value)

77-92-9	Citric acid	-1,6 log Kow
65-85-0	Benzoic acid	1,88 log Kow

Vapour pressure: Not applicable.

Density and/or relative density

Density: No information available.

Vapour density No information available.

Particle characteristics See section 3.

9.2 Other information

Appearance:

Form: Solid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Oxidising properties No information available.

Evaporation rate No information available.

Information with regard to physical hazard classes

Explosives void

Flammable gases void

Aerosols void

Oxidising gases void

Gases under pressure void

Flammable liquids void

Flammable solids void

Self-reactive substances and mixtures void

Pyrophoric liquids void

Pyrophoric solids void

Self-heating substances and mixtures void

Substances and mixtures, which emit flammable gases in contact with water void

Oxidising liquids void

Oxidising solids void

Organic peroxides void

Corrosive to metals void

Desensitised explosives void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability No further relevant information available.

10.3 Possibility of hazardous reactions No further relevant information available.

(Contd. on page 9)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 8)

10.4 Conditions to avoid

Avoid formation of dust.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials: oxidizing agent

10.6 Hazardous decomposition products: No further relevant information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

40.5 % of the mixture consists of component(s) of unknown toxicity.

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 112-80-1 oleic acid, pure

Oral	LD50	74,000 mg/kg (rat)
------	------	--------------------

CAS: 77-92-9 Citric acid

Oral	LD50	5,400 mg/kg (mouse)
------	------	---------------------

Dermal	LD50	> 2,000 mg/kg (rat)
--------	------	---------------------

CAS: 65-85-0 Benzoic acid

Oral	LD50	2,250 mg/kg (rat)
------	------	-------------------

Dermal	LD50	> 2,000 mg/kg (Rabbit)
--------	------	------------------------

Inhalative	LC50/4 h	> 12.2 mg/l (rat)
------------	----------	-------------------

CAS: 110-15-6 succinic acid

Oral	LD50	2,260 mg/kg (rat)
------	------	-------------------

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information:

Repeated dose toxicity

CAS: 65-85-0 Benzoic acid

Oral	NOAEL	1,000 mg/kg bw/d /90 d (rat)
------	-------	------------------------------

Dermal	NOAEL	2,500 mg/kg bw/d /90 d (Rabbit)
--------	-------	---------------------------------

Inhalative	NOAEC	250 mg/m ³ /90 d/gas (rat)
------------	-------	---------------------------------------

(Contd. on page 10)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 9)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

Other information

To our knowledge, the chemical, physical and toxicological properties of the product have not been comprehensively investigated.

Unknown dangers cannot be ruled out.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Contains 40.5 % of components with unknown hazards to the aquatic environment.

CAS: 77-92-9 Citric acid

LC50 (48 h) 440 mg/l (fish)

CAS: 65-85-0 Benzoic acid

EC50 (48 h) > 100 mg/l (daphnia) (*Daphnia magna*)

EC50 (72 h) > 33.1 mg/l (algae) (*Pseudokirchneriella subcapitata*)

LC50 (96 h) 44.6 mg/l (fish) (*Lepomis macrochirus*)

NOEC (72 h) 3.4 mg/l (algae) (*Pseudokirchneriella subcapitata*)

NOEC (21 d) ≥ 25.21 mg/l (daphnia) (*Daphnia magna*)

NOEC (28 d) 120 mg/l (fish) (*Onchorhynchus mykiss*)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: No data available.

vPvB: No data available.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

(Contd. on page 11)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 10)

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

16 03 05*	organic wastes containing hazardous substances
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA

not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA

not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class

not regulated

14.4 Packing group

ADR/RID/ADN, IMDG, IATA

not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 12)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 11)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

Department issuing SDS:

UmEnA GmbH

<http://umena.at>

Email: office@umena.at

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 13)

Trade name: MxQuant-NPH Calibrators (Cal1 - Cal7)

(Contd. of page 12)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

EU