

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: MxQuant-NPH kit plate

UFI: KRA0-N093-200P-HCSV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

96-well plate used for sample preparation

For research use only. Not for use in diagnostic procedures.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

biocrates life sciences ag

Eduard-Bodem-Gasse 8

A-6020 Innsbruck

T: +43 512 57 98 23

F: +43 512 57 98 23 329

Further information obtainable from: Email: office@biocrates.com

1.4 Emergency telephone number:

+43 512 57 98 23

Available during office hours:

Mo-Fr: 9 a.m. - 5 p.m.

Call the national emergency number!

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Trade name: MxQuant-NPH kit plate

(Contd. of page 1)

Signal word Warning

Hazard-determining components of labelling:

D6-DL-Cystine (2,2,3,3,3,3)

D6 Dehydroepiandrosterone sulfate sodium salt 2H₂O

D6-5-Hydroxyindole-3-acetic acid (2,4,6,7,α,α)

D5-3,4-Dihydroxyphenylacetic acid

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH208 Contains Sodium pyruvate-13C₃. May produce an allergic reaction.

43.9 % of the mixture consists of component(s) of unknown toxicity.

Contains 71 % of components with unknown hazards to the aquatic environment.

2.3 Other hazards

The product contains not fully tested substances and must be used with the required caution.

Results of PBT and vPvB assessment

PBT: No data available.

vPvB: No data available.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine-disrupting properties ≥ 0.1 % (w/w).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

CAS: 1261254-41-4	D6 Dehydroepiandrosterone sulfate sodium salt 2H ₂ O	10 - < 25%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 352431-53-9	D6-DL-Cystine (2,2,3,3,3,3)	10 - < 25%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	D4-Biliverdine	2.5 - < 10%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

(Contd. on page 3)

Trade name: MxQuant-NPH kit plate

(Contd. of page 2)

CAS: 2748469-82-9	D6-5-Hydroxyindole-3-acetic acid (2,4,6,7,α,α)	2.5 - < 10%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 60696-39-1	D5-3,4-Dihydroxyphenylacetic acid	2.5 - < 10%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 284487-61-2	2-Picolinic-d4 acid	1 - < 5%
	⚠ Eye Dam. 1, H318	
	⚠ Acute Tox. 4, H302	
CAS: 306-23-0	D3-DL-p-Hydroxyphenyllactic acid	1 - < 2.5%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 100287-06-7	D6-4-Hydroxyphenylacetic acid	1 - < 2.5%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 74495-71-9	D3-Homovanillic acid	1 - < 2.5%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 1644451-34-2	D5-3-Indoxyl Sulfate potassium salt	1 - < 2.5%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 147664-83-3	D4-Citric acid (2,2,4,4)	1 - < 2.5%
	⚠ Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 52840-12-7	Chenodeoxycholic Acid-d5	1 - < 2.5%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X RTECS: PC 1400000 Reg.nr.: 01-2119433307-44-XXXX	Methanol	< 0.5%
	⚠ Flam. Liq. 2, H225	
	⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	⚠ STOT SE 1, H370	
	ATE: LD50 oral: 100 mg/kg LD50 dermal: 300 mg/kg Specific concentration limits: STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	
CAS: 142014-11-7	Sodium pyruvate-13C3	< 0.5%
	⚠ Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 89-00-9 RTECS: US7967250	13C3,15N-2,3-Pyridinedicarboxylic acid	< 0.5%
	⚠ Acute Tox. 3, H311	
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 4)

Trade name: MxQuant-NPH kit plate

(Contd. of page 3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

Immediately remove any clothing soiled by the product.

After inhalation:

Remove person to fresh air and keep comfortable for breathing.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

After swallowing:

Do NOT induce vomiting.

Rinse mouth.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Dust can form explosive mixtures with air.

Explosive mixtures with air are possible when heated.

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Do not inhale explosion gases or combustion gases.

(Contd. on page 5)

Trade name: MxQuant-NPH kit plate

(Contd. of page 4)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not breathe dust.

Keep away from ignition sources.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Prevent formation of dust.

Take off immediately all contaminated clothing and wash it before reuse.

Avoid breathing dust.

Eye wash bottles and emergency showers should be provided in the immediate area near the workplace.

Use personal protective equipment as required.

Information about fire - and explosion protection:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a dry, cool, well-ventilated area.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility: Store away from incompatible materials.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Recommended storage temperature: room temperature

Storage class: 11

(Contd. on page 6)

Trade name: MxQuant-NPH kit plate

(Contd. of page 5)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol

IOELV (EU)	Long-term value: 260 mg/m ³ , 200 ppm Skin
MAK (Austria)	Short-term value: 1040 mg/m ³ , 800 ppm Long-term value: 260 mg/m ³ , 200 ppm
AGW (Germany)	Long-term value: 130 mg/m ³ , 100 ppm 2(II);DFG, EU, H, Y
LEP (Spain)	Long-term value: 266 mg/m ³ , 200 ppm vía dérmica, VLB, VLI, r
VLEP (France)	Short-term value: 1300 mg/m ³ , 1000 ppm Long-term value: 260 mg/m ³ , 200 ppm risque de pénétration percutanée, (11)
WEL (Great Britain)	Short-term value: 333 mg/m ³ , 250 ppm Long-term value: 266 mg/m ³ , 200 ppm Sk
TWA (Italy)	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Cute, IBE
VL (Italy)	Long-term value: 260 mg/m ³ , 200 ppm Cute
WGW (Netherlands)	Long-term value: 133 mg/m ³ , 100 ppm

Regulatory information

IOELV (EU): (EU) 2019/1831

MAK (Austria): GKV 2021, 330. Verordnung, 02.12.2024, Teil 2

AGW (Germany): TRGS 900

LEP (Spain): Límites de exposición profesional para agentes químicos

VLEP (France): ED 1487 26.04.2024

WEL (Great Britain): EH40/2020

TWA (Italy): Valori Limite di Soglia

VL (Italy): D.lgs. n. 135/2024, Allegato A

WGW (Netherlands): Grenswaarden gezondheidsschadelijke stoffen

DNELs

CAS: 67-56-1 Methanol

Oral	Long-term exposure - systemic effects	4 mg/kg bw/d (consumer)
	short-term exposure - systemic effects	4 mg/kg bw (consumer)
Dermal	Long-term exposure - systemic effects	4 mg/kg bw/d (consumer)

(Contd. on page 7)

Trade name: MxQuant-NPH kit plate

(Contd. of page 6)

Inhalative	short-term exposure - systemic effects	20 mg/kg bw/d (workers) 4 mg/kg bw (consumer)
	Long-term exposure - systemic effects	20 mg/kg bw (workers) 26 mg/m ³ (consumer)
	Long-term exposure - local effects	130 mg/m ³ (workers) 26 mg/m ³ (consumer)
	short-term exposure - systemic effects	130 mg/m ³ (workers) 26 mg/m ³ (consumer)
	short-term exposure - local effects	130 mg/m ³ (workers) 26 mg/m ³ (consumer)
		130 mg/m ³ (workers)

PNECs No data available.

Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BGW (Germany)	15 mg/l Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende, bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten Parameter: Methanol
VLB (Spain)	15 mg/l Muestra: orina Momento de Muestero: Final de la jornada laboral Indicador Biológico: Metanol
IBE (Italy)	15 mg/l Campioni: urine Momento del prelievo: a fine turno Indicatore biologico: metanolo

Regulatory information

BGW (Germany): TRGS 903

VLB (Spain): Límites de exposición profesional para agentes químicos

IBE (Italy): Indici Biologici di Esposizione

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Avoid breathing dust.

(Contd. on page 8)

Trade name: MxQuant-NPH kit plate

(Contd. of page 7)

Take off contaminated clothing and wash it before reuse.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection:

Protective work clothing

Select type and quality of protection clothes depending on concentration and quantity at the workplace.

Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Solid

Colour:

Light yellow

Odour:

Characteristic

Odour threshold:

No information available.

(Contd. on page 9)

Trade name: MxQuant-NPH kit plate

(Contd. of page 8)

Melting point/freezing point: No information available.**Boiling point or initial boiling point and boiling range****Flammability** combustible**Lower and upper explosion limit****Lower:** No information available.**Upper:** No information available.**Flash point:** Not applicable.**Decomposition temperature:** No information available.**pH** Not applicable.**Viscosity:****Kinematic viscosity** Not applicable.**Dynamic:** Not applicable.**Solubility****water:** No information available.**Partition coefficient n-octanol/water (log value)**

67-56-1 Methanol -0,77 log Kow

Vapour pressure: Not applicable.**Density and/or relative density****Density:** No information available.**Vapour density** No information available.**Particle characteristics** See section 3.**9.2 Other information****Appearance:****Form:** Solid**Important information on protection of health and environment, and on safety.****Ignition temperature:** Product is not selfigniting.**Explosive properties:** Product does not present an explosion hazard.**Change in condition****Oxidising properties** No information available.**Evaporation rate** No information available.**Information with regard to physical hazard classes****Explosives** void**Flammable gases** void**Aerosols** void**Oxidising gases** void**Gases under pressure** void**Flammable liquids** void**Flammable solids** void**Self-reactive substances and mixtures** void**Pyrophoric liquids** void**Pyrophoric solids** void

(Contd. on page 10)

Trade name: MxQuant-NPH kit plate

(Contd. of page 9)

Self-heating substances and mixtures	void
Substances and mixtures, which emit flammable	
gases in contact with water	void
Oxidising liquids	void
Oxidising solids	void
Organic peroxides	void
Corrosive to metals	void
Desensitised explosives	void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability No further relevant information available.

10.3 Possibility of hazardous reactions No further relevant information available.

10.4 Conditions to avoid

Avoid formation of dust.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials: oxidizing agent

10.6 Hazardous decomposition products: No further relevant information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	> 1,509 – < 1,704 mg/kg
Dermal	LD50	60,004 mg/kg (rat)
Inhalative	LC50/4 h	938 mg/l

CAS: 284487-61-2 2-Picolinic-d4 acid

Oral	LD50	> 300 – < 2,000 mg/kg (rat)
------	------	-----------------------------

CAS: 147664-83-3 D4-Citric acid (2,2,4,4)

Oral	LD50	5,400 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)

CAS: 52840-12-7 Chenodeoxycholic Acid-d5

Oral	LD50	> 2,000 mg/kg (mouse) 4,000 mg/kg (rat)
------	------	--

CAS: 67-56-1 Methanol

Oral	LD50	100 mg/kg (ATEmix)
	LD50	5,630 mg/kg bw (rat) Source: TOXNET

(Contd. on page 11)

Trade name: MxQuant-NPH kit plate

(Contd. of page 10)

Dermal	LD50	300 mg/kg (ATEmix)
	LD50	15,800 mg/kg bw (Rabbit) Source: TOXNET
CAS: 89-00-9 13C3,15N-2,3-Pyridinedicarboxylic acid		
Oral	LD50	> 500 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

Other information

To our knowledge, the chemical, physical and toxicological properties of the product have not been comprehensively investigated.

Unknown dangers cannot be ruled out.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 284487-61-2 2-Picolinic-d4 acid

EC50 (48 h) > 100 mg/l (daphnia)

CAS: 147664-83-3 D4-Citric acid (2,2,4,4)

LC50 (48 h) 440 mg/l (fish)

CAS: 52840-12-7 Chenodeoxycholic Acid-d5

LC50 (96 h) > 100 mg/l (fish) (Danio rerio)

CAS: 67-56-1 Methanol

EC50 (48 h) > 10,000 mg/l (daphnia) (Daphnia magna)

LC50 (96 h) 20,000 mg/l (fish) (Salmo gairdneri)

CAS: 142014-11-7 Sodium pyruvate-13C3

EC50 (48 h) > 100 mg/l (daphnia) (Daphnia magna)

(Contd. on page 12)

Trade name: MxQuant-NPH kit plate

(Contd. of page 11)

ErC50 (72 h) > 3.02 mg/l (algae) (Raphidocelis subcapitata)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: No data available.

vPvB: No data available.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
16 03 05*	organic wastes containing hazardous substances
HP4	Irritant - skin irritation and eye damage
HP6	Acute Toxicity

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA

not regulated

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA

not regulated

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class

not regulated

(Contd. on page 13)

Trade name: MxQuant-NPH kit plate

(Contd. of page 12)

14.4 Packing group

ADR/RID/ADN, IMDG, IATA

not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 69

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

(Contd. on page 14)

Trade name: MxQuant-NPH kit plate

(Contd. of page 13)

H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H370 Causes damage to organs.
H371 May cause damage to organs.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Regular training of staff involved in the transport of dangerous goods (in accordance with Chapter 1.3 ADR).

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral
Skin corrosion/irritation
Serious eye damage/irritation
Specific target organ toxicity (single exposure)

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

UmEnA GmbH

<http://umena.at>

Email: office@umena.at

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3